

Sliddele til TIG 200

(spændbøsning 52mm) Incl. Stubby dele

Brænderkrop:



80300170A

Isolator:



80300171A

Spændbøsning 52mm:



80330002B – 1,6mm

80330004B – 2,4mm

80330006B – 3,2mm

Elektrodehætte:



80300200AT kort

80301902B mellem

Elektrodehætte SILIKONE:



80300172A - lang

svejse madsen

Bjarne Risbjerg Madsen ApS

☎ 98 23 14 36

Oversigtsliste.: 50141062OS

Keramisk gasdyse:

80340001B – gr. 4	6,4mm
80340002B – gr. 5	8,0mm
80340003B – gr. 6	9,5mm
80340004B – gr. 7	11,0mm
80340005B – gr. 8	12,7mm
80340006B – gr. 10	15,7mm
80340007B – gr. 12	19,0mm

Keramisk gasdyse GL:

80340400B – gr. 4	6,4mm
80340401B – gr. 5	8,0mm
80340402B – gr. 6	9,8mm
80340403B – gr. 7	11,2mm
80340404B – gr. 8	12,7mm
80340406B – gr. 12	15,7mm

Elektrodeholder:

80310000B – 1,6mm
80310001B – 2,4mm
80310002B – 3,2mm
80310003B – 4,0mm

Gaslinse:

80310412B – 1,6mm
80310413B – 2,4mm
80310414B – 3,2mm

Sliddele TIG 200

Stubby dele



Brænderkrop:



80300170A

20320260 - FLEX TFL 260

Elektrodehætte:



80300200AT kort

80301902B mellem

Elektrodehætte SILIKONE:



80300172A lang

Gaslinse:



45V43S – 1,6mm

45V44S – 2,4mm

Gasdyse linse:



80440210B – nr. 4 – Ø6,4mm.

80440211B – nr. 5 – Ø8,0mm.

80440212B – nr. 6 – Ø9,8mm.

80440213B – nr. 7 – Ø11,2mm.

80440214B – nr. 8 – Ø12,7mm.

Isolator special:



80300171S

Spændbøsning SKRÅ:



80431203AS – 1,6mm.

80431204AS – 2,4mm.

80431205AS – 3,2mm.

svejse madsen

Bjarne Risbjerg Madsen ApS

☎ 98 23 14 36

Oversigtsliste.: 50141062OS